



## Merlyn 10 Series Showerwall Wet Room Shower Screen - 1400mm



Merlyn 10 Series Showerwall Wet Room Shower Screen



Rating: Not Rated Yet

**Price**

Base price with tax £1,012.67

Sales price £607.60


Discount £-405.07

Tax amount £101.27

[Ask a question about this product](#)

Manufacturer [Merlyn](#)

## Description



Luxurious Wetroom Panels, crafted with our signature **10mm thick glass**. Each showerwall comes with a wall profile, you can further tailor with various options such as; stabilising bars, end, swivel or cube panels and flush wall and floor profiles. Pick and choose from the 9 additional options to give your wetroom the luxurious finish.

Merlyn Series 10 Showerwall wet room shower screens are highly versatile and can be installed in many configurations including, One panel in a corner, One panel in an alcove, Walk through (with the use of two optional floor to ceiling posts), and with two panels in a corner to create a walk in enclosure.

All showerwalls come with a wall profile as standard. An optional stabilising bar is available and **recommended for all screens 900mm and over**.

A number of optional fittings allow you to create the ideal showering environment for your design.

## Features

- Size: 1400mm# (Actual panel size 1368mm)
- Height: 2000mm (2015mm Including optional Rail)
- 10mm toughened glass
- Includes polished chrome wall fixing profile
- Easy clean Mershield Stayclear protected glass
- Lifetime year Guarantee
- Suitable for recess or corner situation
- Suitable for shower tray application
- Reversible
- Easy Access
- Wetroom compatible
- Power shower approved
- Adjustment for secure and easy fixing (see below for further details)
- Optional Stabilising Bar - **Recommended for all screens 900mm & over**. 1000mm, can be trimmed to size.
- Optional floor to ceiling post available (Max height 3m) - Cannot be used in conjunction with optional return panel.
- Optional 8mm glass, 180° hinged return panel available - 300mm
- Optional 8mm glass, fixed return panel available - 300mm (Must be fitted on a flat tray / wet room floor)
- Optional flush fit wall and floor channels
- Optional floor U channel

• CE Approved - Toughened 10mm thick glass  
• European safety glass approved - EN14428 & EN12150

#Sizes shown are nominal. All panels are undersized by 32mm to allow for tiling when fitting to shower trays.

### **Adjustments – What are they and why they help installations**

Merlyn wet room screens allow adjustment for easy, secure fixing.

Each Merlyn product allows a generous amount of movement at each profile. The profile is the piece that fixes to the wall and as these profiles have “adjustments” shower screen can be securely fixed into position even when walls are not precisely straight or if the thickness of your choice of tiles affects the installation space for your Merlyn screen.

### **Adjustments:**

300mm = 275-290mm

400mm = 375-390mm

500mm = 475-490mm

600mm = 575-590mm

700mm = 675-690mm

800mm = 775-790mm

900mm = 875-890mm

1000mm = 975-990mm

1100mm = 1075-1090mm

1200mm = 1175-1190mm

1400mm = 1375-1390mm

### **Meresheid Stayclear**

Mersheid Stayclear acts as a protective coating which when applied to glass, helps the glass to remain shiny and new without the need for tiresome cleaning.

When cleaned correctly it helps prevent the build up of limescale and soap deposits making the shower glass “Easy to Clean”.

How it Works:

Mersheid Stayclear coating creates a smooth layer over the surface of natural glass, lowering surface friction, making it easier for water, soap and lime deposits to run off the glass.

### **Screen Options:**

Create your perfect showering environment with the Merlyn Ionic shower screen options:

**Stabilising Bar** - Recommended for all screens 900mm & over. for use to stabilise the screen against the fitting wall. 1000mm can be trimmed to size.

**Floor to ceiling post** - this 3m floor to ceiling post can easily be trimmed to the desired size. Use the post to stabilise the screen at the open end, creating a full height look. Use two floor to ceiling posts to create a 'walk through' shower area, perfect for use in the middle of a wall.

**T Bracket** - To connect 2 stabilising bars.

**Return Panels** - Available in a 8mm glass hinged 180° swivel panel (300mm) and a 8mm glass fixed return panel (300mm). Designed to help reduce the escape of water in open ended shower screen configurations. A hinged return panel can also be used to reduce the open gap by returning it to the 90° position once you have entered the shower. This is an ideal solution where the available space for an enclosure is on the smaller side. Fixed panel must be fitted on a flat tray / wet room floor.

**Side Panel** - By adding an optional side panel (300mm - 900mm) and T-Piece bracket you can create a full walk in enclosure. By also adding a corner profile you can create a corner enclosure.

**Angled Stabilising Bar** - for use to stabilise the screen against the fitting wall. Ideal for use when the gap from to far wall is greater than the 1000mm of the standard stabilising bar.

**Glass to Glass Profile** - used to connect two screens in a corner configuration.

**Flush Wall / Floor Profiles** - Set the screen into the wall or floor with these concealed channels.

**U Channel** - For where the screen meets the floor.

