


Wet Room Walk In Shower Tray Kit - OFFSET DRAIN - 1200 x 1000 x 20mm



Wet Room Kit - Offset Drain



Optional Tanking, Fixing & Sealing Kit



Optional QUADRA drain cover





Rating: Not Rated Yet

Price

Base price with tax £250.00

Sales price £250.00

Discount

Tax amount £41.67

[Ask a question about this product](#)

Manufacturer [Wetrooms Online](#)

Description

SPECIFICATION

- **1200 x 1000 x 20mm**
- **OFFSET DRAIN**
- **UNDER-SUPPORT REQUIRED**
- **COMPLETE WITH DRAIN & TANKING**
- **TRIMABLE BY 50MM OFF EACH EDGE**
- **20 YEAR GUARANTEE**

SUITABLE FOR

- **WOOD OR CONCRETE SUBFLOOR**
- **TILED FLOOR FINISH**
- **WET ROOMS**
- **LEVEL ACCESS**
- **RAISED ON PLATFORM**
- **UNDERFLOOR HEATING**

NOT SUITABLE FOR

- **VINYL FLOOR FINISH**

- MICRO-CEMENT
- USE WITH WHEELCHAIRS
- FITTING DIRECT ON JOISTS

The Wetrooms Online **WetBase Standard** wet room floor / shower base is an easy to install 'walk in shower' floor tray, with a classic square design drain outlet. This kit comes complete with a **Dallmer** fast flow drain and stainless steel grill. Complete with a choice of **Jackoboard** 5kg liquid based (no mixing required) tanking kit for waterproofing the shower area walls and floor, or a complete **Tanking, Fixing & Sealing Kit** for fixing the WetBase, waterproofing the floor and walls in addition to sealing the perimeter of the tray where it meets the wall / surrounding floor. The perfect solution for installing a wet room or Walk in Shower.

Designed and manufactured in Germany, the WetBase Standard is a premium wet room floor former, with a 20 year guarantee when installed in accordance of the instructions. The tray can be trimmed by up to 50mm off each edge of the tray. Suitable for installation in both wooden and concrete floors, the WetBase standard is designed to be installed flush to the surrounding floor (the surrounding floor level will need to be raised with [Tile Backer Insulation Board](#)), and over tiled to create a level access showering area.

Drain Cover

The Wetbase Standard wet room tray, ships with a standard, pressed stainless steel drain cover. This can be upgraded to a solid 6mm thick, laser cut brushed stainless steel 'Quadra' drain cover.

Standard Cover



Quadra Cover



If you have a question about the WetBase or the fitting of it please see the following help articles:

- [Choosing the Correct Wet Room Tray](#)
- [WetBase Shower Tray FAQ's](#)
- [WetBase Shower Tray Fitting Instructions](#)
- [Wet Room FAQ's](#)

If you cant find an answer to your question in the above documents, or need further help or advice, please give our experts a call on **0800 280 8008**, use the **live chat** function (in the bottom right corner) or send an email to **This**

email address is being protected from spambots. You need JavaScript enabled to view it.

```
document.getElementById('cloak80edc022e1e0eeb79b98d765fffb0fb1').innerHTML = ''; var prefix = 'ma' + 'il' + 'to'; var path = 'hr' + 'ef' + '='; var addy80edc022e1e0eeb79b98d765fffb0fb1 = 'info' + '@'; addy80edc022e1e0eeb79b98d765fffb0fb1 = addy80edc022e1e0eeb79b98d765fffb0fb1 + 'wetrooms-online' + '.' + 'com?subject=Question%20via%20Wetrooms%20Online'; var addy_text80edc022e1e0eeb79b98d765fffb0fb1 = 'info' + '@' + 'wetrooms-online' + '.' + 'com';document.getElementById('cloak80edc022e1e0eeb79b98d765fffb0fb1').innerHTML += "<a href='\"+addy_text80edc022e1e0eeb79b98d765fffb0fb1+\"':
```

Optional Shower Screen:

As an option you can add a quality **Merlyn Ionic** 8mm thick by 2000mm high toughened safety glass shower screen in a choice of widths, finished with an easy clean coating as standard, comes complete with wall bracket and support arm (700mm screen & above).

Choice of 300mm, 400mm, 500mm, 600mm, 700mm, 760mm, 800mm, 900mm, 1000mm, 1100mm, 1200mm, 1400mm or 1600mm length shower screens

- Easy clean finish
- 2000mm high, 8mm thick
- Wall fixing profile supplied (chrome finish)
- Adjustable bracing bar supplied with screens 700mm & over (1m, chrome finish)
- Adjustment for secure and easy fixing

Screen sizes are nominal. All panels are undersized by 31mm to allow for tiling when fitting to shower trays.